

Bridging Energy Innovation & Global Diplomacy



Sweta Gupta

CEO, Gridelss Global



Gridless Global at a Glance

One Command Center. Owner-Side Project Advisory.

- **Strategic Coordination:** Bringing energy, infrastructure, and facility projects under one owner-side process.
- **Project Clarity:** One organized record of providers, budgets, milestones, and documentation.
- **Professional Guardrails:** Coordinating with licensed specialists for all regulated trade work.

The screenshot displays the Gridless Global website. The top navigation bar includes links for Services, Residential, Commercial, About, Events, Blog, Pay a Bill, and Contact, along with a phone number (603-918-3676) and a 'Build My Plan' button. The main content area features a 3D rendering of a sustainable community with various energy and infrastructure projects. Callouts for these projects include:

- Solar Power Plant:** Harnessing the sun for a greener future. (CLICK HERE FOR SERVICES)
- Thermal Power Plant:** Continuous, clean thermal energy production. (CLICK HERE FOR SERVICES)
- Eco-Smart Living:** Advanced energy management for sustainable communities. (CLICK HERE FOR SERVICES)
- Microgrid:** Integrated energy distribution for local resilience. (CLICK HERE FOR SERVICES)
- Strategic Energy Reserve:** High-capacity storage for grid stability. (CLICK HERE FOR SERVICES)
- Hydro Power Plant:** Efficient energy from natural water flow. (CLICK HERE FOR SERVICES)
- Education Hub:** Offering Workshops, Grant Writing, Classes, and Speaker Services. (CLICK HERE FOR SERVICES)
- Commercial:** Solar, energy analysis, efficiency and carbon credits. (CLICK HERE FOR SERVICES)
- Residential:** Solar, energy analysis, efficiency and carbon credits. (CLICK HERE FOR SERVICES)

The left sidebar highlights 'INTEGRATED RENEWABLE ENERGY' with a quote: "A transition to clean energy is an investment in our future." Below this, 'KEY HIGHLIGHTS' are listed: Solar Power, Hydro Power, Thermal Energy, Energy Storage, Smart Microgrid, Residential, and Commercial.



ANALYZE & ALIGN

Gather requirements, define objectives, and analyze existing infrastructure.



SOURCE & PLAN

Select specialized providers, structure budgets, and build comprehensive project timelines.



MANAGE & EXECUTE

Oversee multi-trade coordination, manage regulated specialists, and monitor milestones.



OPTIMIZE & OPERATE

Analyze lifecycle performance, optimize efficiency, and maintain long-term asset value.

From Project Coordination to SDG Impact

SDG 7

Affordable & Clean Energy

Hybrid microgrids and high-efficiency thermal systems ensuring 24/7 access at lower costs for remote populations.

Innovation:

Decentralized storage & smart metering

SDG 9

Industry & Infrastructure

Powering SMEs and local processing units through micro-industrial parks built around resilient energy hubs.

Innovation:

Productive-use appliance integration

SDG 5

Gender Equality

Empowering women entrepreneurs by reducing energy poverty and providing digital vocational training via solar hubs.

Innovation:

Community-led governance models

SDG 13

Climate Action

Reducing carbon footprints through renewable integration while maintaining grid resilience against extreme weather.

Innovation:

AI-driven load forecasting

Why Energy is Diplomatic Infrastructure

01

SOVEREIGNTY

Domestic energy generation is the bedrock of national independence. Reliance on external supply chains creates geopolitical vulnerabilities that transcend power.

02

INCLUSION

Energy access is the prerequisite for SDG 9. Without reliable power, industrial development remains exclusive, leaving marginalized communities behind.

03

RESILIENCE

Sustainable development acts as proactive diplomacy. Building resilient energy systems mitigates global risk and reduces resource-based conflicts.

Energy as Strategic Infrastructure

LOCAL ACCESS

Renewable Microgrids

Distributed solar and storage providing 24/7 reliability for remote communities and SMEs.

Smart Metering

AI-driven load forecasting and decentralized governance models for long-term stability.

REGIONAL STABILITY

Hybrid Energy Hubs

Thermal plants providing essential baseload inertia and frequency regulation during transition.

Strategic Storage

Containerized battery systems stabilizing regional nodes and industrial parks.

NATIONAL RESILIENCE

National Power Security

Interconnected, domestic energy ecosystems that eliminate single-point failures and external leverage.

Microgrids turn access into productivity

"Decentralization is not just a technical choice; it is a diplomatic strategy for community empowerment."

DHARNAI CASE STUDY

India's first fully solar-powered village, providing 24/7 electricity to 450 homes and 50 commercial shops.

Local governance models ensure long-term maintenance and social buy-in, which are crucial for climate adaptation.

01

Decentralized Access

Removing an unstable national grids for remote regions.

02

Economic Multiplier

Enabling irrigation, cold storage, and local agro-processing.

03

Resilience & Security

Building community ownership and climate-resilient energy nodes.

Empowering local energy autonomy.

MICROGRID / LOCAL ENERGY CELL



RENEWABLES
LOCAL GENERATION



EMS
REAL-TIME CONTROL



STORAGE
FLEXIBLE CAPACITY

STATUS / 01

Decentralized supply

Use local renewable resources where energy is consumed.

STATUS / 02

Reliability

Coordinate assets locally to support continuity during disruption.

STATUS / 03

Lower-carbon operation

Prioritize cleaner available power across local sources and storage.


STATUS / 04

Flexible deployment

Apply the same control model in urban districts and remote sites.

SYSTEM VIEW: LOCAL GENERATION ↔ ENERGY MANAGEMENT ↔ RESILIENT LOADS

Connect physical assets to a digital control layer.



MICROGRID SYSTEM MAP / ASSETS + INTELLIGENCE + CONNECTION

THE GRID BECOMES A COORDINATED LOCAL ENERGY NETWORK

01 Distributed assets
Solar, wind, storage, EVs, and controllable loads.

02 Grid edge
Power electronics and local measurement at the point of action.

03 EMS intelligence
Real-time optimization and dispatch decisions.


04 Network connection
Coordinated exchange with the wider utility system.

Every battery, building, and EV can become a grid resource.

A microgrid turns distributed hardware into **controllable flexibility**. The operating objective is simple: match local generation, storage, and demand in real time.



ASSETS ↔ EMS ORCHESTRATION ↔ RESILIENT LOADS



STORE SURPLUS

Charge flexible assets when local renewable output is abundant.

SUPPORT PEAKS

Shift demand or discharge approved capacity when the system is constrained.

OPERATING MODE: BALANCE LOCAL GENERATION, STORAGE, AND DEMAND

Real-time optimization of microgrid operations.

An Energy Management System continuously turns asset data into operational decisions—balancing local supply, storage state, load priorities, and external grid conditions.



01 / OBSERVE

Sense

Measure power, load, prices, weather, and asset state.



02 / ANTICIPATE

Predict

Forecast demand, generation, and constraint windows.



03 / DECIDE

Optimize

Choose the best operating plan against defined priorities.



04 / ACT

Dispatch

Control storage, flexible loads, and grid exchange.

ROLE-BASED PRIORITIES

Operator

Maintain safety, reliability, and operational visibility.

Owner

Balance asset performance, operating cost, and project value.

Community

Protect critical services and retain local energy capability.

SENSE → PREDICT → OPTIMIZE → DISPATCH

EMS CONTROL ROOM / ONLINE OPTIMIZATION FOR LOCAL ENERGY SYSTEMS

Optimize components for cost-effective microgrid design.

Sizing is a design conversation between **capital cost**, **operating value**, and **resilient service**. Configure the asset portfolio before locking in the build.



Design for a four-part value proposition.

The objective is reliable, affordable, cleaner energy managed close to the loads and communities it serves.

OUTCOME / 01

Resilience

Local generation, storage, and control improve continuity during disturbance.



OUTCOME / 02

Affordability

Optimization reduces avoidable operating cost and improves asset utilization.



OUTCOME / 03

Decarbonization

Clean generation and flexible demand displace higher-emission energy use.



OUTCOME / 04

Autonomy

Local energy capability gives sites more control over service and response.

VALUE VIEW: RESILIENCE + AFFORDABILITY + DECARBONIZATION + AUTONOMY

Build the system— not isolated projects.

The smart-microgrid transition is **a new operating model for resilient local infrastructure**: clean power, flexible capacity, digital coordination, and intentional design.

01 / INTEGRATE

Plan generation, storage, loads, and control as one system.

02 / ENABLE

Invest in EMS interoperability, visibility, and flexible assets.

03 / PROTECT

Treat cybersecurity, safety, and lifecycle management as core requirements.

04 / LOCALIZE

Build energy capability that serves priority loads close to home.




CONNECTED LOCAL ENERGY ECOSYSTEM

A Microgrid Coordinates Local Energy

Generation, storage, loads, protection, and controls act as one managed system.


- A **microgrid** combines local energy resources and electrical loads within a defined boundary.
- It can operate with the utility grid and, when designed for it, disconnect to serve local loads independently.
- Controls coordinate power flow, equipment status, and electrical quality.

Think of it as a **small, managed power system** that coordinates its local resources.




Read the Diagram from Sources to Loads

Start with the four zones, then follow each luminous path toward the shared PCC.




Microgrid Dynamic Operation

1-MW Solar Plant



1-MW,1-MWh BESS



PCC Bus

Vab PCC (Vrms)




Freq PCC (Hz)




Microgrid state: GRID-CONNECTED

Grid



Load




Solar PV Turns Sunlight into Usable AC Power

The Solar Plant block regulates PV output before interfacing it with the medium-voltage network.

DC DOMAIN — generated and conditioned

AC DOMAIN — converted and connected




Key conversion: PV panels supply DC, but the distribution system uses AC.

Connection role: Filtering and transformation prepare power for the shared bus.


The Battery Adds Flexibility

A BESS can absorb electricity now and return it later when the microgrid needs support.



The PCC Is the Microgrid's Gateway

The point of common coupling is where the local electrical system meets the wider utility grid.




Grid-Connected Mode Shares Power with the Utility

The reference display is operating in its normal grid-connected state.




MICROGRID STATE: GRID-CONNECTED



Island Mode Protects Priority Loads

When designed for it, a microgrid can intentionally operate independently of the utility network.

ISLAND MODE: PCC CONNECTION OPEN



Control priorities

Balance P

supply =
demand

Maintain V & f

local electrical reference


Manage loads

serve the planned critical load set

Controls Turn Measurements into Actions

PV and BESS controllers compare measured conditions with references, then command power-electronic switches.

MEASURED INPUTS



The Meters Reveal System Health

Use the model readouts to understand available energy, power flow, and electrical quality.

Indicator	Read it as	Why it matters
Solar irradiance	Available sunlight for PV generation.	Higher irradiance generally means more PV energy is available.
SOC (%)	State of charge: remaining stored battery energy.	Shows how much battery support may remain.
P (kW)	Real power delivered or absorbed.	Shows the direction and size of active energy flow.
Q (kvar)	Reactive-power exchange.	Helps explain voltage-support behavior.
PCC V & f	Voltage and frequency at the grid gateway.	Confirms the connection's electrical condition.
Negative sequence (%)	A measure related to phase imbalance.	Flags unequal three-phase conditions that may need attention.

Read several meters together: **available solar** + **battery energy** + load demand + PCC condition.

Key Learning Takeaways

The PV plant, BESS, PCC, protection, and controllers each have a distinct role—but operate together.



1. Capture

PV converts available sunlight into electrical energy.



2. Shift

BESS shifts energy across time by charging and discharging.



3. Coordinate


PCC, protection, and controls manage safe grid interaction.

To read any microgrid, trace **energy sources** → **power conversion & storage** → loads and the PCC.

A Pragmatic Just Transition

GLOBAL ENERGY ACCESS GAP

Population without electricity access (millions)



685 Million

Living without electricity in 2022

The number increased for the first time in over a decade as population growth outpaced connections.

80%

Sub-Saharan Africa Concentration

570 million people in the region lack access, accounting for 83% of the global deficit.

2.1 Billion

Lack clean cooking access

Contributing to 3.2 million premature deaths annually from household air pollution.

Diplomacy turns projects into progress

Governments

Policy frameworks, land rights, and national security integration for long-term project viability.

International Bodies

SDG alignment, technical standards, and diplomatic mediation for global energy initiatives.

STRATEGIC PARTNERSHIPS

Bridging the gap between intent and infrastructure through owner-side coordination.

Local Communities

Community-led governance, maintenance training, and local ownership of productive-use assets.

Private Sector

Capital investment, technical innovation, and operational efficiency driving scalable solutions.

A Global Action Agenda

01 POLICY HARMONIZATION

Standardize microgrid regulations across regions to attract cross-border investment and technical innovation.

02 INCLUSIVE FINANCING

Deploy blended finance models to de-risk energy infrastructure projects in marginalized and high-risk regions.

03 SKILLS & LEADERSHIP

Invest in vocational training specifically for women in renewable operations, smart metering, and grid management.

04 STRATEGIC RESILIENCE

Retrofit existing thermal assets with HELE technology to support grid stability as renewable penetration increases.



Less demand. More comfort. Smarter energy.

The energy-efficient house works when its parts work together.



LOWER
LOADS



STEADY
COMFORT




CLEANER SUPPLY



UPGRADE ROADMAP

The upgrade order is the design strategy

Assess first. Lower demand next. Then choose equipment and on-site generation.



SYSTEM VALUE INCREASES AS THE HOUSE BECOMES MORE EFFICIENT AND FLEXIBLE





Inspiring, educating & empowering
young girls to lead the energy transition

Conferences • Competitions • Career Mentorship • Career Development



BE THE SPARK

Join us as a mentor, speaker
or industry partner.

IN PARTNERSHIP WITH

Tweeble



RELIEF
ALLIANCE

Wealth
Strategy
Media



GRIDLESS
GLOBAL
POWERING A CONNECTED FUTURE

DO
YOU

Decentralized energy management for resilient networks

Local generation. Flexible storage. Intelligent control.

A connected operating model for reliable energy.





GRIDLESS
GLOBAL
POWERING A CONNECTED FUTURE

Energy equity is the infrastructure of peace.

LET US BUILD SYSTEMS THAT LEAVE NO ONE BEHIND.

gridlessglobal.com

gridlessglobal@gmail.com

786-216-3191